


**II33**

## Recombinant Mouse Interleukin-33

<b>Catalog No.</b>	CSI20129A CSI20129B CSI20129C	<b>Quantity:</b>	2 µg 10 µg 1.0 mg
<b>Alternate Names:</b>	interleukin-33, IL-33, IL-1F11, DVS27-related protein, interleukin-1 family member 11, nuclear factor from high endothelial venules		
<b>Description:</b>	<p>Recombinant Mouse IL-33 contains 158 amino acid residues.</p> <p>Background: Interleukin-33 is a proinflammatory protein that shares structural and functional characteristics with the IL-1 cytokine family. It binds and signals through the IL-1R1/ST2 receptor activating NF-kappaB and MAP kinases. IL-33 induces production of TH2 cell related cytokines, including IL-4, IL-5 and IL-13, and exerts multiple inflammation related bioactivities.</p>		
<b>Gene ID:</b>	77125		
<b>Source:</b>	<i>E. coli</i>		
<b>Molecular Weight:</b>	Approximately 17.5 kDa protein containing 158 amino acid residues.		
<b>Formulation:</b>	Lyophilized from a 0.2 µm filtered solution in PBS, and 1 mM EDTA.		
<b>Purity:</b>	>98% by SDS-PAGE and HPLC analyses.		
<b>Endotoxin Level:</b>	Less than 1EU/µg of rMull-33 as determined by LAL method.		
<b>Biological Activity:</b>	Fully biologically active when compared to standard. The ED <sub>50</sub> determined by a cell proliferation assay using murine D10S cells is less than 0.5 µg/ml		
<b>Specific Activity:</b>	≥2 x 10 <sup>6</sup> units/mg		
<b>Amino Acid Sequence:</b>	SIQGTSLLTQ SPASLSTYND QSVSFVLENG CYVINVDDSG KDQEQDQVLL RYYESPCPAS QSGDGVGK LMVNMSPKID TDIWLHANDK DYSVELQRGD VSPPEQAFFV LHKKSSDFVS FECKNLPPTY IGVKDNQLAL VEEKDESCNN IMFKLSKI		
<b>Reconstitution:</b>	<b>Centrifuge vial prior to opening.</b> Add sterile distilled water or aqueous buffer to a concentration of 0.1-1.0 mg/mL. Further dilutions should be made in appropriate buffered solutions.		
<b>Storage &amp; Stability:</b>	This lyophilized preparation is stable at 2-4°C, but should be kept desiccated at -20°C for long term storage. Upon reconstitution, the preparation is stable for up to one week at 2-4°C. For maximal stability, apportion the reconstituted preparation into working aliquots and store at -20°C to -80°C. <b>Avoid repeated freeze/thaw cycles.</b>		





NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.



**Cell Sciences**<sup>®</sup>  
65 Parker Street  
Unit 11  
Newburyport, MA 01950

Toll Free: 888-769-1246  
Phone: 978-572-1070  
Fax: 978-992-0298

E-mail: [info@cellsciences.com](mailto:info@cellsciences.com)  
Website: [www.cellsciences.com](http://www.cellsciences.com)