

Mouse IFN-gamma ELISA antibody pair 10 Plate Format

Catalog No. CK1091

Coating antibodies (2 vials)

Product: Monoclonal antibody to mouse interferon gamma (IFN- γ)
Isotype: Rat IgG_{2a}
Production: *In vitro* using serum free medium
Purification: Ammonium sulphate precipitation and DEAE ion-exchange chromatography
Buffer: Prior to lyophilization: 0.25 ml PBS + 125 mM trehalose
Application: Inject 0.25 ml distilled water into the vial and dilute 100 times in PBS. The content of one vial is sufficient for five 96-well ELISA plates (480 determinations; 50 μ l/well).

Detection antibodies (2 vials)

Product: Biotinylated polyclonal antibody to mouse interferon gamma (IFN- γ)
Isotype: Rabbit IgG
Purification: Ammonium sulphate precipitation and protein A- and ligand-affinity chromatography
Labeling: With Biotin-7-NHS (N-hydroxysuccinimide)
Buffer: Prior to lyophilization: 0.5 ml PBS + 1% BSA + 125 mM trehalose
Application: Inject 0.5 ml distilled water into the vial and dilute 100 times in PBS + 0.5% BSA + 0.05% Tween-20. The content of one vial is sufficient for five 96-well ELISA plates (480 determinations; 100 μ l/well).

Standards (5 vials)

Product: CHO-derived recombinant mouse interferon gamma (IFN- γ)
Application: Cytokine standard in an ELISA system
Reconstitution: Inject of 0.5 ml distilled water into the vial. Use immediately.

Conjugate (2 vials)

Product: SPP conjugate (Streptavidin-HRP)
Application: Inject 0.5 ml distilled water into the vial and dilute 100 times in PBS + 0.5% BSA + 0.05% Tween-20. The content of one vial is sufficient for five 96-well ELISA plates (480 determinations; 100 μ l/well). The product should be used in conjunction with TMB substrate.

General

Sensitivity: < 2 pg/ml
Specificity: Validated for detecting natural and recombinant mouse IFN- γ .
Sterility: Membrane filtered (0.2 μ m)
Stability: Lyophilized SPP conjugate is stable for at least one year at -20°C, the other lyophilized products are stable for at least one year at 4°C.
After reconstitution, the antibodies are stable for one year at 4°C (if kept sterile) and SPP for a minimal of one year at -20°C. The reconstituted standard preparation should be used immediately.

NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.



Cell Sciences, Inc.
480 Neponset Street
Building 12A
Canton, MA 02021

Toll Free: 888 769-1246
Phone: 781 828-0610
Fax: 781 828-0542

E-mail: info@cellsciences.com
Web Site: www.cellsciences.com