

## Human Serum Off the Clot, Pooled Donors

|                                 |   |                  |                  |
|---------------------------------|---|------------------|------------------|
| <b>Catalog No.</b>              | CSI20429A<br>CSI20429B  | <b>Quantity:</b> | 50 ml<br>1 liter |
| <b>Description:</b>             | Off the clot serum is produced without anticoagulants added, allowing whole blood to coagulate naturally and then separating the layers.  |                  |                  |
| <b>Source:</b>                  | Pooled human donors   |                  |                  |
| <b>Appearance:</b>              | Yellow to orange liquid   |                  |                  |
| <b>Preservatives:</b>           | None, sterile filtered, 0.2 micron.   |                  |                  |
| <b>Country of Origin:</b>       | USA   |                  |                  |
| <b>Storage &amp; Stability:</b> | Store at -20°C to -80°C for 1 year. Upon initial thawing, aliquot and store at -20°C to -80°C. <b>Avoid repeated freeze/thaw cycles.</b>  |                  |                  |
| <b>Certification:</b>           | Non-reactive for HIV-1, HCV, HBV by NAT, HBsAg, HCV Ab, HIV 1 and 2 Ab, and RPR by currently approved FDA methods. However, because no test method can offer complete assurance that infectious agents are absent, this material should be handled at the Bio-safety level 2 (BSL 2) as recommended for any potentially infectious human serum or blood specimen in the CDC/NIH manual "Bio-safety in microbiological and Biometical Laboratories", 1999. |                  |                  |

**NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.**

