

## IGF1

### Recombinant Human LR3 Insulin-like Growth Factor 1

<b>Catalog No.</b>	LRM001	<b>Quantity:</b>	1.0 mg
	LRM005		5.0mg
	LRM020		20 mg
	LRM050		50 mg

**Alternate Names:** Lr3 IGF-1, LR3 IGF, IGF LR3, LArg3 IGF-1

**Description:** IGF-1 belongs to the insulin gene family and is a mitogenic polypeptide growth factor that stimulates the proliferation and survival of various cell types, including muscle, bone, and cartilage tissue.

LR3 IGF-1 is a long-acting analog of human IGF-1 specifically designed and manufactured for mammalian cell culture to support large-scale manufacturing of recombinant biopharmaceuticals. It differs from native IGF-1 in that it possesses an arginine instead of a glutamic acid at the third position in its amino acid sequence ("arginine 3"), and also has an additional 13 amino acids at N-terminus (MFPAMPLLSLFVN) ("long"), for a total of 83 amino acids (relative to the 70 of IGF-1).

**Gene ID:** Analog of 3479

**Source:** *E. coli*

**Molecular Weight:** 9.1 kDa (83 aa)

**Formulation:** Lyophilized from sterile-filtered 20 mM phosphate buffer, pH 7.2.

**Purity:** >98% by SDS-PAGE analysis  
>90% by RP-HPLC

**Endotoxin Level:** <0.01 EU/μg

**Biological Activity:** ED<sub>50</sub> ~0.3-1.5 ng/ml, determined in a serum-free cell proliferation assay using human MCF-7 cells  
ED<sub>50</sub> <10 ng/ml, determined by the stimulation of protein synthesis in rat L6 myoblasts.

**Specific Activity:** > 6.7 × 10<sup>5</sup> IU/mg, by serum-free cell proliferation assay using human MCF-7 cells  
>1.0 × 10<sup>5</sup> IU/mg, by the stimulation of protein synthesis in rat L6 myoblasts


**Amino Acid Sequence:** MFPAMPLSSL FVNGPRTL CG AELVDALQFV CGDRGFYFNK PTGYGSSSRR  
APQTGIVDEC CFRSCDLRRL EMYCAPLKPA KSA

**Reconstitution:** **Centrifuge vial prior to opening.** Add sterile distilled water or aqueous buffer containing 0.1% BSA to a concentration of 0.1-1.0 mg/mL. Further dilutions should be made in appropriate buffered solutions.

**Storage & Stability:** Upon receipt, the lyophilized protein is stable for one year when stored at -20 °C to -80 °C. When reconstituted under sterile conditions, product is stable for one month at 2-8 °C, or for 3 months when stored in working aliquots at -20 °C to -80 °C.

**Avoid repeated freeze-thaw cycles.**





NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.



**Cell Sciences®**  
65 Parker Street  
Unit 11  
Newburyport, MA 01950

Toll Free: 888-769-1246  
Phone: 978-572-1070  
Fax: 978-992-0298

E-mail: [info@cellsciences.com](mailto:info@cellsciences.com)  
Website: [www.cellsciences.com](http://www.cellsciences.com)